# Index to Volume 178

Achyuthan KE: Characterization of the reciprocal binding sites on human α-thrombin and factor XIII A-chain 289–297
Anderson MB, *see* Leskovac V *et al.*
Arias G, Asins G, Hegardt FG and Serra D: The effect of dexamethasone treatment on the expression of the regulatory genes of ketogenesis in intestine and liver of suckling rats 325–333
Asins G, *see* Arias G *et al.*
Avioli LV, *see* Chaudhary LR

Böhmer FD, *see* Celler JW *et al.*
Battell ML, *see* Hei YJ *et al.*
Bradley ME, *see* Chen SJ *et al.*
Budihardjo II, Poirier GG and Kaufmann SH: Apparent cleavage of poly(ADP-ribose), polymerase in non-apoptotic mouse LTA cells: An artifact of cross-reactive secondary antibody 245–249

Cardellini E, Piccinini G and Gianfranceschi GL: Phosphopeptides derived from *in vitro* phosphorylated *E. Coli* RNA polymerase bind to DNA and affect DNA transcription 393–396
Catalá A, *see* Terrasa A *et al.*
Celler JW, Luo X and Böhmer FD: Protein tyrosine phosphatase gene expression analysis in Swiss 3T3 fibroblasts 157–162
Chaudhary LR and Avioli LV: Identification and activation of mitogen-activated protein (MAP) kinase in normal human osteoblastic and bone marrow stromal cells: Attenuation of MAP kinase activation by cAMP, parathyroid hormone and forskolin 59–68
Chen SJ, Bradley ME and Lee TC: Chemical hypoxia triggers apoptosis of cultured neonatal rat cardiac myocytes: Modulation by calcium-regulated proteases and protein kinases 141–149
Chen X, *see* Hei YJ *et al.*
Clouet P, *see* Galland S *et al.*
Cox O, *see* Vivas-Mejía PE *et al.*

de Jong YF, *see* Jans SWS *et al.*
de Souza Pereira R, Pavão F and Oliva G: The use of molecular modelling in the understanding of configurational specificity (R or S) in asymmetric reactions catalyzed by *Saccharomyces cerevisae* or isolated dehydrogenases 27–31
de Souza Pereira R: Comparison of biochemical effects produced by calcium ions and by monomers of polyacrylamide (acrylamide and bisacrylamide) on strains of *Saccharomyces cerevisae* used for production of chiral synthons 33–40
De Léan A, *see* Pedro L *et al.*
Dean RG, *see* Lee K *et al.*
Demarquoy J, *see* Galland S *et al.*
Deshpande RV and Moore MAS: G-CSF receptor-mediated up-regulation of c-fos but not c-raf mRNA expression in myeloid cells 47–50
Devaraj H, *see* Rajkumar R *et al.*
Devasagayam TPA, *see* Pushpendran CK *et al.*
Dhawan V, *see* Kaul D *et al.*
Dhawan V, *see* Kaur T *et al.*
Dhawan V, *see* Mehta A *et al.*
Dowell RT and Fu MC: Heterogeneous cellular expression of creatine kinase isoenzyme during normal rat heart development 87–94
Duda T, *see* Krishnan A *et al.*

Farahbakhshian S, *see* Hei YJ *et al.*
Favilli F, *see* Iantomasi T *et al.*

Fenrick R, *see* Pedro L *et al.*
Fu MC, *see* Dowell RT
Fujiki H, *see* Mori T *et al.*

Galland S, Le Borgne F, Guyonnet D, Clouet P and Demarquoy J: Purification and characterization of the rat liver gamma-butyrobetaine hydroxylase 163–168
Ganguly NK, *see* Kaur T *et al.*
Ganguly NK, *see* Mehta A *et al.*
Gao B, Jaffe H and Kunos G: Histone H1 isoforms purified from rat liver bind nonspecifically to the nuclear factor 1 recognition sequence and serve as generalized transcriptional repressors 187–196
Gao YH, *see* Yamaguchi M
Garcia JJ, *see* Tang L *et al.*
Gianfranceschi GL, *see* Cardellini E *et al.*
Glišin V, *see* Zarić J *et al.*
González FA, *see* Vivas-Mejía PE *et al.*
Goraczniak RM, *see* Krishnan A *et al.*
Górski J, Nawrocki A and Murthy M: Characterization of free and glyceride-esterified long chain fatty acids in different skeletal muscle types of the rat 113–118
Grover AK, *see* Sandhu V *et al.*
Grynsberg A, *see* Rousseau D *et al.*
Guajardo M, *see* Terrasa A *et al.*
Guez D, *see* Vergely C *et al.*
Guyonnet D, *see* Galland S *et al.*

Hanahisa Y, *see* Takahashi H *et al.*
Hashimoto M, *see* Shah Alam M *et al.*
Hata F, *see* Mori T *et al.*
Hausman GJ, *see* Lee K *et al.*
Hegardt FG, *see* Arias G *et al.*
Hei YJ, Farahbakhshian S, Chen X, Battell ML and McNeill JH: Stimulation of MAP kinase and S6 kinase by vanadium and selenium in rat adipocytes 367–375
Hirano T, *see* Mori T *et al.*
Hossain SM, *see* Shah Alam M *et al.*
Husain K, Morris C, Whitworth C, Trammell GL, Rybak LP and Somani SM: Protection by ebselen against cisplatin-induced nephrotoxicity: Antioxidant system 127–133

Iantomasi T, Favilli F, Marraccini P and Vincenzini MT: Glutathione involvement on the intestinal $Na^+$-dependent D-glucose active transporter 387–392
Iizuka K, *see* Sano H *et al.*
Iossa S, *see* Mollica MP *et al.*

Jaffe H, *see* Gao B *et al.*
Jans SWS, de Jong YF, Reutelingsperger CPM, van der Vusse GJ and van Bilsen M: Differential expression and localization of annexin V in cardiac myocytes during growth and hypertrophy 229–236
Jurasinski C, *see* Vary TC *et al.*

Kakkar P, *see* Musavi S
Karlsson J and Rønneberg R: Muscle metabolism and quality (MQI) in prediabetic sedentary man 69–75
Kaufmann SH, *see* Budihardjo II *et al.*
Kaul D, Kaur M and Dhawan V: Human platelets contain a novel 47 kDa thiol-oxidase having affinity for genomic sterol-regulatory sequence 383–385
Kaur M, *see* Kaul D *et al.*
Kaur T, Singh S, Dhawan V and Ganguly NK: *Shigella dysenteriae type 1* toxin induced lipid peroxidation in enterocytes isolated from rabbit ileum 169–179
Kawaguchi H, *see* Sano H *et al.*

Khatter JC, *see* Zhang M *et al.*
Kibatake A, *see* Sano H *et al.*
Kimball SR, *see* Vary TC *et al.*
Krishnan A, Goraczniak RM, Duda T and Sharma RK: Third calcium-modulated rod outer segment membrane guanylate cyclase transduction mechanism 251–259
Ku K, *see* Shah Alam M *et al.*
Kunos G, *see* Gao B *et al.*

Le Borgne F, *see* Galland S *et al.*
Lee K, Hausman GJ and Dean RG: Expression of C/EBP$\alpha$, $\beta$ and $\gamma$ in fetal and postnatal subcutaneous adipose tissue 269–274
Lee TC, *see* Chen SJ *et al.*
Leskovac V, Trivić S and Anderson BM: Use of competitive dead-end inhibitors to determine the chemical mechanism of action of yeast alcohol dehydrogenase 219–227
Li Z-R, *see* Tang L *et al.*
Liverini G, *see* Mollica MP *et al.*
Lowe DG, *see* Sehl P *et al.*
Luo X, *see* Celler JW *et al.*

Marquis M, *see* Pedro L *et al.*
Marraccini P, *see* Iantomasi T *et al.*
Masumura S, *see* Shah Alam M *et al.*
Maupoil V, *see* Vergely C *et al.*
McNeill JH, *see* Hei YJ *et al.*
McNicoll N, *see* Pedro L *et al.*
Mehta A, Singh S, Dhawan V and Ganguly NK: Intestinal mucosal lipid peroxidation and absorptive function in *Salmonella typhimurium* mediated intestinal infection 345–352
Miller M, *see* Sandhu V *et al.*
Miyakoda G, *see* Mori T *et al.*
Moitreyee C-K, Suraksha A and Swarup AS: Potential role of Nf-kB and RXR beta like proteins in interferon induced HLA class I and beta globin gene transcription in K562 erythroleukaemia cells 103–112
Mollica MP, Iossa S, Liverini G and Soboll S: Steady state changes in mitochondrial electrical potential and proton gradient in perfused liver from rats fed a high fat diet 213–217
Moore MAS, *see* Deshpande RV
Moreau D, *see* Rousseau D *et al.*
Mori T, Takeuchi T, Ohura M, Miyakoda G, Fujiki H, Orito K, Yoshida K, Hirano T, Yamamura Y, Sumida T, Nakaya Y, Satake H and Hata F: Pranidipine, a new 1,4-dihydropyridine calcium channel blocker, enhances cyclic GMP-independent nitric oxide-induced relaxation of the rat aorta 335–343
Morris C, *see* Husain K *et al.*
Muggli R, *see* Rousseau D *et al.*
Murakami T, *see* Sano H *et al.*
Murata T, *see* Takahashi H *et al.*
Murata T and Yamaguchi M: Tissue-specific binding of nuclear factors to the 5′-flanking region of the rat gene for calcium-binding protein regucalcin 305–310
Murthy M, *see* Górski J *et al.*
Musavi S and Kakkar P: Diazepam induced early oxidative changes at the subcellular level in rat brain 41–46

Nakaya Y, *see* Mori T *et al.*
Nakayama K, *see* Shah Alam M *et al.*
Nawrocki A, *see* Górski J *et al.*
Niranjali S, *see* Rajkumar R *et al.*
Nosaka S, *see* Shah Alam M *et al.*

Oare D, *see* Sehl P *et al.*
Ohura M, *see* Mori T *et al.*

Okamoto H, *see* Sano H *et al.*
Oliva G, *see* de Souza Pereira R *et al.*
Orito K, *see* Mori T *et al.*
Ortiz GG, *see* Tang L *et al.*

Park EA, *see* Roesler WJ
Paskvalin M, *see* Zhang M *et al.*
Pavão F, *see* de Souza Pereira R *et al.*
Pedro L, Fenrick R, Marquis M, McNicoll N and De Léan A: Characterization of the phosphorylation state of natriuretic peptide receptor-C 95–101
Piccinini G, *see* Cardellini E *et al.*
Poirier GG, *see* Budihardjo II *et al.*
Popović Z, *see* Zarić J *et al.*
Pushpendran CK, Subramanian M, Devasagayam TPA and Singh BB: Study on lipid peroxidation potential in different tissues induced by ascorbate-$Fe^{2+}$: Possible factors involved in their differential susceptibility 197–202

Rønneberg R, *see* Karlson J
Rademakers J-R, *see* Vergely C *et al.*
Rajkumar R, Devaraj H and Niranjali S: Binding of *Shigella* to rat and human intestinal mucin 261–268
Readerstorff D, *see* Rousseau D *et al.*
Reiter RJ, *see* Tang L *et al.*
Reutelingsperger CPM, *see* Jans SWS *et al.*
Rochette L, *see* Vergely C *et al.*
Roesler WJ and Park EA: Hormone response units: One plus one equals more than two 1–8
Rousseau D, Moreau D, Readerstorff D, Sergiel JP, Rupp H, Muggli R and Grynberg A: Is a dietary n-3 fatty acid supplement able to influence the cardiac effect of the psychological stress 313–366
Rupp H, *see* Rousseau D *et al.*
Rybak LP, *see* Husain K *et al.*

Saini KS and Walker NI: Biochemical and molecular mechanisms regulating apoptosis 9–25
Sandhu V, Miller M and Grover AK: Effects of peroxide on the fluorescence of the $CA^{2+}$ probe Fluo 3 and the pH probe BCECF 77–80
Sano H, Okamoto H, Kibatake A, Iizuka K, Murakami T and Kawaguchi H: Increased mRNA expression of cardiac renin-angotensin system and collagen synthesis in spontaneously hypertensive rats 51–58
Satake H, *see* Mori T *et al.*
Schiavi P, *see* Vergely C *et al.*
Sehl P, Tom JYK, Oare D and Lowe DG: Receptor-specific ligands distinguish natriuretic peptide receptors-A and -C in primate tissues 317–324
Sergiel JP, *see* Rousseau D *et al.*
Serra D, *see* Arias G *et al.*
Shah Alam M, Ku K, Yamauchi M, Hashimoto M, Nosaka S, Hossain SM, Masumura S, Nakayama K and Tamura K: Protective effects of nicaraven, a new hydroxyl radical scavenger, on the endothelial dysfunction after exposure of pig coronary artery to hydroxyl radicals 237–243
Sharma RK, *see* Krishnan A *et al.*
Shinya N and Yamaguchi M: Stimulatory effect of calcium administration on regucalcin mRNA expression is attenuated in the kidney cortex of rats ingested with saline 275–281
Singh BB, *see* Pushpendran CK *et al.*
Singh S, *see* Kaur T *et al.*
Singh S, *see* Mehta A *et al.*
Soboll S, *see* Mollica MP *et al.*
Somani SM, *see* Husain K *et al.*
Subramanian M, *see* Pushpendran CK *et al.*
Sumida T, *see* Mori T *et al.*
Suraksha A, *see* Moitreyee C-K *et al.*

Swarup AS, *see* Moitreyee C-K *et al.*

Takahashi H, Murata T, Hanahisa Y and Yamaguchi M: Streptozotocin-induced diabetes increases ($Ca^{2+}$-$Mg^{2+}$)-ATPase activity in hepatic plasma membranes of rats: Involvement of protein kinase C 311–316
Takeuchi T, *see* Mori T *et al.*
Tamura K, *see* Shah Alam M *et al.*
Tang L, Reiter RJ, Li Z-R, Ortiz GG, Yu BP and Garcia JJ: Melatonin reduces the increase in 8-hydroxy-deoxyguanosine levels in the brain and liver of kainic acid-treated rats 299–303
Terrasa A, Guajardo M and Catalá A: Lipoperoxidation of rod outer segments of bovine retina is inhibited by soluble binding proteins for fatty acids 181–186
Tom JYK, *see* Sehl P *et al.*
Trammell GL, *see* Husain K *et al.*
Trivić S, *see* Leskovac V *et al.*

Ueoka S, *see* Yamaguchi M

van Bilsen M, *see* Jans SWS *et al.*
van der Vusse GJ, *see* Jans SWS *et al.*
Vary TC, Jurasinski C, Kimball SR: Reduced 40S initiation complex formation in skeletal muscle during sepsis 81–86
Vergely C, Walker MK, Zeller M, Rademakers J-R, Maupoil V, Schiavi P, Guez D and Rochette L: Antioxidant properties of indapamide, 5-OH indapamide and hydrochlorothiazide evaluated by oxygen-radical absorbing capacity and electron paramagnetic resonance 151–155
Vincenzini MT, *see* Iantomasi T *et al.*
Vivas-Mejía PE, Cox O and González FA: Inhibition of human topoisomerase II by anti-neoplastic benzazolo [3,2-*a*] quinolinium chlorides 203–212

Walker MK, *see* Vergely C *et al.*
Walker NI, *see* Saini KS
Whitworth C, *see* Husain K *et al.*

Yamaguchi M, *see* Murata T *et al.*
Yamaguchi M, *see* Shinya N
Yamaguchi M, *see* Takahashi H *et al.*
Yamaguchi M and Gao YH: Anabolic effect of genistein and genistin on bone metabolism in the femoral-metaphyseal tissues of elderly rats: The genistein effect is enhanced by zinc 377–382
Yamaguchi M and Ueoka S: Expression of calcium-binding protein regucalcin mRNA in fetal rat liver is stimulated by calcium administration 283–287
Yamamura Y, *see* Mori T *et al.*
Yamauchi M, *see* Shah Alam M *et al.*
Yoshida K, *see* Mori T *et al.*
Yu BP, *see* Tang L *et al.*

Zarić J, Glišin V and Popović Z: Evidence for HSP70-like protein in the RBC membrane of the hereditarily anemic Belgrade laboratory (b/b) rat 119–125
Zeller M, *see* Vergely C *et al.*
Zhang M, Paskvalin M and Khatter JC: Pharmacological characterization of an Endogenous Negative Inotrophic Factor (ENIF) from porcine heart 135–138